PixxControl Cable 4F-WS2813





Description

This cable is meant for connecting digital LED-Stripes to ArtNet Multi PixxControl.

Compatible with our

- Digital LED-Stripe RGB WS2813 60WS

Assignment

XLR Connection	JST Connection	Function (with ArtNet Multi PixxControl)
Pin 1		-
Pin 2		-
Pin 3	Pin 1	GND
Pin 4	Pin 2 + Pin 3	DATA

Data sheet

Connection: 4 pin XLR-Female

4 pin JST-SM Female

Length: ca. 50 cm



Disposal



Electronical and electronic products must not be disposed in domestic waste. Dispose the product at the end of its service life in accordance with applicable legal regulations. Information on this can be obtained from your local waste disposal company.



DMX4ALL GmbH Reiterweg 2A D-44869 Bochum Germany

© Copyright 2019 DMX4ALL GmbH

All rights reserve. No part of this manual may be reproduced in any form (photocopy, pressure, microfilm or in another procedure) without written permission or processed, multiplied or spread using electronic systems.

All information contained in this manual was arranged with largest care and after best knowledge. Nevertheless errors are to be excluded not completely. For this reason I see myself compelled to point out that I can take over neither a warranty nor the legal responsibility or any adhesion for consequences, which decrease/go back to incorrect data. This document does not contain assured characteristics. The guidance and the characteristics can be changed at any time and without previous announcement.